

# List of All Chemicals

## P Rosa woodsii (Rosaceae)

### Common name(s)

Woods' Rose

### How used

Medicinal

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Plant Part	Low PPM	High PPM	StdDev	*Reference
1-BETA-2-BETA-DIHYDROXYPOMOLIC-ACID	Leaf	--	9.0		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
1-BETA-HYDROXY-2-OXOPOMOLIC-ACID	Leaf	--	10.0		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
1-BETA-HYDROXY-EUSCAPHIC-ACID	Leaf	--	9.0		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
2-OXOPOMOLIC-ACID	Leaf	--	23.0		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
3-O-ACETYL-POMOLIC-ACID	Leaf	--	6.0		Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
6-DEMETHOXY-4'-O-METHYLCAPILLARISIN	Leaf	--	9.2		Hashidoko, Y., Tahara, S., Mizutani, J. 1992. Bisabolane Sesquiterpenes and a 2-phenoxychromone from Rosa woodsii Leaves. Phytochemistry 31 6: 2148-2149.
BETULINIC-ACID	Leaf	--	3.0	-1.0	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.

### Activities (22)

Anthelmintic	
AntiHIV EC50=2.0 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
AntiHIV IC50=6.5 ug/ml	
AntiHIV 14.8 uM	
Antibacterial	
Anticancer	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Anticarcinomic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiedemic	
Antiinflammatory	Recio, M., et al. 1994. Investigations on the Steroidal Anti-Inflammatory Activity of Triterpenoids from <i>Diospyros leucomelas</i> *. Planta Medica, 61: 9.
Antileukemic	
Antimalarial IC50=19-26 ug/ml	
Antimelanomic	New York Times, 3/28/95.
Antinociceptive	
Antiplasmodial IC50=19-26 ug/ml	
Antitumor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.
Antiviral 14.8 uM	
Apoptotic	
Cytotoxic 50-100 ppm	Biosyn. Prod. Cancer Chemotherapy (Petit et al)
Cytotoxic 16.4 uM	
Phospholipase-A2-Inhibitor	
Prostaglandin-Synthesis-Inhibitor 200 ug/ml	Dunstan, C. A., Liu, B., Welch, C. J., Perera, P., Bohlin, L. 1998. Alphitol, a Phenolic Substance from <i>Alpinia zizyphoides</i> which Inhibits Prostaglandin Biosynthesis in vitro. Phytochemistry, 48(3): 495-497.
Prostaglandin-Synthesis-Inhibitor IC50=101 uM	Huang, C., Tunon, H., Bohlin, L. 1995. Anti-Inflammatory Compounds Isolated from <i>Menyanthes trifoliata</i> L. Yao Hsueh Hsueh Pao, 30(8): 621-626.
EUSCAPHIC-ACID	Leaf -- 55.0 -1.0 Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
HAMANASAL-A	Leaf -- 13.0 Hashidoko, Y., Tahara, S., Mizutani, J. 1992. Bisabolane Sesquiterpenes and a 2-phenoxychromone from Rosa woodsii Leaves. Phytochemistry 31 6: 2148-2149.

OLEANOLIC-ACID	Leaf	--	65.0	-0.8	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
<b>Activities (64)</b>					
Abortifacient					
AntiHIV IC50=21.8 ug/ml					
AntiHIV EC50=1.7 ug/ml					Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
AntiPGE2 IC50=24 uM					
AntiTGF-beta IC50=19-24 uM					
Antiallergic					
Antiarhythmic 40 mg/kg					
Antiatherosclerotic					
Antibacterial MIC=625-1,250 ug/ml					
Anticarcinomic					Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Anticariogenic					Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Anticomplement IC40-50 0.01 mM/l gpg					Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Anticomplement IC80-90 0.05 mM/l gpg					Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antiedemic IC36=40 mg/kg ipr rat					
Antifertility					
Antigingivitic MIC=625-1,250 ug/ml					
Antihepatotoxic					
Antihyperlipidemic					
Antiinflammatory 40 mg/kg ipr					Aquino, R., De Feo, V., De Simone, F., Pizza, C.*, and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of Uncaria tomentosa. Journal of Natural Products, 54(2): 453-459, 1991.
Antiischemic 40 mg/kg					
Antileukemic					Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antileukotriene IC50=17 uM					
Antimalarial IC50=70-89 ug/ml					
Antinephritic IC50=19-24 uM					
Antioxidant					Balanehru, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. Biochemistry International 28(4): 735-744, 1992.
Antioxidant IC46=10 uM					
Antiperiodontic MIC=625-1,250 ug/ml					
Antiperioxidant IC30=200 ug/ml					
Antiplaque MIC=625-1,250 ug/ml					
Antiplasmodial IC50=70-89 ug/ml					
Antisarcomic					
Antiseptic MIC=625-1,250 ug/ml					
Antitumor					
Antitumor (Breast)					Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antitumor (Colon)					Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antitumor (Kidney)					Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antitumor (Lung)					Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antitumor (Pancreas)					Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.
Antiulcer >carbenoxolone					
Antiviral EC50=1.7 ug/ml					Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Antiviral IC50=21.8 ug/ml					Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.
Aromatase-Inhibitor					
Beta-Blocker					
Beta-Glucuronidase-Inhibitor ~100 mg/kg					
COX-2-Inhibitor IC50=295 uM/					
COX-2-Inhibitor					Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from Plantago major, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. J. Nat. Prod., 61(10): 1212-1215.
Cancer-Preventive					Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Cardiotonic					
Cyclooxygenase-Inhibitor					
Diuretic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.				
Elastase-Inhibitor IC50=~15 uM					
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 211.				
Hypolipemic					
Hypotensive					
Immunomodulator					
Leucocytogenic					
NF-kB-Inhibitor					
Phagocytotic					
Piscicide	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.				
Prostaglandin-Synthesis-Inhibitor igs mus					
Sedative					
Uterotonic					
Vasopressor					

POMOLIC-ACID	Leaf	--	14.0	1.0	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
--------------	------	----	------	-----	---

#### Activities (2)

AntiHIV IC50=23.3 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
AntiHIV EC50=1.4 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.

TORMENTIC-ACID	Leaf	--	31.0	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
----------------	------	----	------	---

#### Activities (1)

Hypoglycemic 10 ppm